

L Number	Hits	Search Text	DB	Time stamp
1	3	field adj generator and temperature adj sensor and shape with measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:16
2	13	field adj generator and temperature adj sensor and shape with chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:17
4	0	field adj generator same shape and temperature adj sensor and measuring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:18
5	45793	(magnetic or electric) adj field and shape and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:21
6	165	(magnetic or electric) adj field and shape and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:24
8	1250	(magnetic or electric) adj field and generator and (thermal or temperature) adj (sensor or detector or probe) and (profile or shape)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:34
9	288	(magnetic or electric) adj field same (profile or shape) and generator and (thermal or temperature) adj (sensor or detector or probe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:35
10	2040	sample with piezoelectric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:35
11	1	((magnetic or electric) adj field same (profile or shape) and generator and (thermal or temperature) adj (sensor or detector or probe)) and (sample with piezoelectric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:36
12	12	((magnetic or electric) adj field and generator and (thermal or temperature) adj (sensor or detector or probe) and (profile or shape)) and (sample with piezoelectric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:39
13	381	measur\$3 with change adj shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:45
14	118	(measur\$3 with change adj shape) and temperature and field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:46

15	30	(measur\$3 with change adj shape) and temperature and field near (magnetic or electric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:56
16	622	(374/45).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 16:53
17	1679	(374/45,55.56.121,31,32,33,142).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 16:53
19	165	374/\$.ccls. and shape and (electric or magnetic) adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 16:54
18	54	((374/45,55.56.121,31,32,33,142).CCLS.) and @pd>20021101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 16:54
20	191	(374/6-7).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:05
21	3419	change with (shape or dimensions) and temperature and (electric or magnetic) adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:07
22	465	(change with (shape or dimensions) and temperature and (electric or magnetic) adj field) and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:07
23	13	change with (shape or dimensions) with measuring and temperature and (electric or magnetic) adj field with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:12
24	151	change with (shape or dimensions) and temperature and (electric or magnetic) adj field with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:12
25	6	change with (shape or dimensions) same piezoelectric and temperature and (electric or magnetic) adj field with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:13
26	23	change with (shape or dimensions) and piezoelectric and temperature and (electric or magnetic) adj field with generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:14

27	0	change with (shape or dimensions) with measuring and camera and field adj generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:14
28	6	change with (shape or dimensions) with measuring and field adj generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:15
29	14	change with (shape or dimensions) same field adj generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:16
30	702	change with (shape or dimensions) and generator and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:16
31	11	change with (shape or dimensions) and generator and camera and analyzer with optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:16
32	30	change with (shape or dimensions) and generator and camera and analyzer with image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:18
33	0	generator with (electric or magnetic) and amera and analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:18
34	1	generator with (electric or magnetic) and camera and analyzer with shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:18
35	4	generator with (electric or magnetic) and camera and analyzer same shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:19
36	102	(electric or magnetic) adj field and camera and analyzer same shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:19
37	74	(electric or magnetic) adj field and camera and analyzer same shape	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:26
38	3	("2786096" "3585382" "3986027").PN.	USPAT	2003/07/27 17:24
39	15	4039829.URPN.	USPAT	2003/07/27 17:24
40	10903	generator and temperature and shape and sample	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:26

41	729	generator and temperature and shape with sample	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:26
42	485	generator and temperature and shape with sample and (electric or magnetic)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:26
43	82	generator and temperature and shape with sample and (electric or magnetic) and piezoelectric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:29
46	80	generator and temperature and shape with sample and (electric or magnetic) and temperature near control	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
47	268	generator and temperature and shape with sample and (electric or magnetic) and heating	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
48	177	generator and temperature and shape with sample and (electric or magnetic) and cooling	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
49	0	generator and temperature and shape with sample and (electric or magnetic) and climate	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
50	113	generator and temperature and shape with sample and (electric or magnetic) and analyzer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
51	51	generator and temperature and shape with sample and (electric or magnetic) and grid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:28
44	188	generator and temperature and shape with sample and (electric or magnetic) and image	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:53
55	5	sample with substrate same grid and camera and generator	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 17:59
54	35	generator and temperature and shape with sample and (electric or magnetic) and metal adj layer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:00
53	51	generator and temperature and shape with sample and (electric or magnetic) and photograph\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:02
52	55	generator and temperature and shape with sample and (electric or magnetic) and camera	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:17
57	4	((356/601,608).CCLS.) and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:18

58	70	((356/601,608).CCLS.) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:18
56	415	(356/601,608).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:30
59	20	((356/601,608).CCLS.) and change near3 shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:35
60	2	("4049644" "4060329").PN.	USPAT	2003/07/27 18:35
61	0	4616932.URPN.	USPAT	2003/07/27 18:35
62	210	((356/601,608).CCLS.) and change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:50
63	359	change near shape and temperature adj (sensor or detector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:42
65	11	change near shape and temperature adj (sensor or detector) and field with apply	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:45
64	271	change near shape and temperature adj (sensor or detector) and field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:44
66	164	(374/205).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:52
67	553	(374/161).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:53
68	139	((374/161).CCLS.) and shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 18:55
69	181	374/\$.ccls. and change with (shape or contour)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:09
70	172	shape adj memory adj alloy and calibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:09

71	31	shape adj memory adj alloy and calibrat\$3 and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:07
72	1661	temperature and electric adj field and change with (shape or contour)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:50
73	1754	temperature and magnetic adj field and change with (shape or contour)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:09
74	2787	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:10
75	554	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and piezoelectric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:10
76	378	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and modulator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:10
77	885	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:10
78	218	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and resolution with image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:10
79	244	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and control near temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:40
81	222	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and metal adj layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:11
80	1	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and electric adj contacting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:15
82	1	controlled adj temperature and apply with field and change with shape and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:15
85	0	6278084.URPN.	USPAT	2003/07/27 19:17

84	42	("3598125" "4164045" "4337090" "4490975" "4524343" "4533411" "4543090" "4559512" "4565589" "4601705" "4631094" "4665906" "4753223" "4758222" "4770725" "4776541" "4777799" "4884557" "4918919" "4990883" "4994727" "5061914" "5067957" "5078684" "5090956" "5114402" "5135517" "5188111" "5190546" "5229211" "5254130" "5279559" "5309717" "5334168" "5335498" "5345937" "5405337" "5481184" "5482029" "5531685" "5556370" "5562726").PN.	USPAT	2003/07/27 19:17
86	55	(measur\$3 or determine or calculate) with change near shape and temperature and (electric or magnetic) adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:26
83	7	controlled adj temperature and apply with field and change with shape and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:32
3	3	field adj generator same shape and temperature adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:33
7	61	(magnetic or electric) adj field and profile and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:33
45	61	generator and temperature and shape with sample and (electric or magnetic) and modulator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:36
87	18	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:41
88	5	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and infrared adj camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:43
89	548	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and imaging	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:43
90	4	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and imaging and analyzer with shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:43
91	87	((temperature and electric adj field and change with (shape or contour)) or (temperature and magnetic adj field and change with (shape or contour))) and imag\$3 same analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:46
92	44	test and substrate and grid and temperature and electric adj field and change with shape	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:50

93	111	temperature and electric adj field and (change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:51
94	141	temperature and magnetic adj field and (change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:51
96	9	(temperature and electric adj field and change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:51
95	24	(temperature and magnetic adj field and change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:54
97	13	(thermal and (magnetic or electric) adj field and change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:55
98	21	(thermal and field and change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:56
99	50	(temperature and field and change with (shape or contour)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 19:57
-	4488	shape with (electric or margnetic) adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:45
-	0	shape with (electric or margnetic) adj field and 374/\$.ccs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:45
-	2	shape with (electric or margnetic) adj field and 374/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:47
-	1504	shape with (electric or margnetic) adj field and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:47
-	11	shape with (electric or margnetic) adj field and temperature adj sensor and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:50

-	32	change with shape and apply with (electric or magnetic) adj field and (thermal or temperature) and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:52
-	0	measur\$3 adj change with shape and apply with (electric or magnetic) adj field and (thermal or temperature) and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:52
-	0	measur\$3 adj change with shape and apply with (electric or magnetic) adj field and (thermal or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:53
-	8	measur\$3 with change with shape and apply with (electric or magnetic) adj field and (thermal or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:00
-	112	measur\$3 with shape and apply with (electric or magnetic) adj field and (thermal or temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:15